BA SLITTER



Traverse Type Trim Rewinder

Paper Core Loader

Application : **4 shafts auto turret exchange, suitable for slitting/rewinding OPP packaging & stationery tapes.**

Specifications :

Machine Width : 1.0M/1.3M/1.6M/2.0M **Max. Unwind O.D: 800mm**

Machine Speed : 200M / Min **Min. Slitting Width : 12mm**

Max. Rewind O.D : 4 shafts exchange 150mm∅

Rewind Paper Core I.D : 26 – 77mm∅ (1" core is only available on 1.3M unit)

Features:

1. **Equipped with connected unwind base, which is designed for space saving and ease of operation.**
2. **Rewind by 4 shafts exchange system to obtain optimum production capacity.**
3. **Slitting by razor blade, applicable to various film tapes slitting.**
4. **Driven by one A.C motor with PLC central control system.**
5. **All functions operate under LCD touch panel control, which is user friendly for all data setting.**
6. **Rewind tension is controlled by spring clutch, it co-operates with differential shafts which works to better control each roll tension to overcome uneven web thickness.**
7. **Finished rolls unload and paper cores reload are completed by a core loader to increase production efficiency.**

Optional Parts:

1. Core Alum. Mold :	**It is necessary when slitting different sizes, any sizes can be made upon request.**
2. Unwind Pick-Up Lift :	**For loading jumbo roll on the machine quickly and safely.**
3. Tabbing Device :	**Automatic tabbing on the web without stopping the machine.**
4. Noise Reduction Hood :	**For attenuating the production sound during the operation.**

佳源工業股份有限公司
WEBTEC INDUSTRIES CO., LTD.
TEL:886-2-22992289 FAX:886-2-22991055
WEBSITE: www.webtec-hy.com
新北市五股區新北產業園區五權路 51 號
NO. 51, WU CHUAN ROAD, NEW TAIPEI INDUSTRIAL PARK,
WU KU DISTRICT, NEW TAIPEI CITY, TAIWAN, R.O.C.
E-MAIL: webtec@ms46.hinet.net

Feature of BA Slitter

Shaft Unwind for 3” Core

Control by Touch Screen

Razor Blade for Slit



Rewind haft for 3” core & web cut-off bar

Trim Removable Unit

Loading & Unloading

Rewind Shaft Lifter (For 1.6M wide)

Optional Parts

Noise Reduction Hood

Tabbing Device

Unwind pick-up lift

Rewind Tension – Air Clutch Control